	Application No.	Applicant(s)
Notice of Allowability	10/826,767	CONWAY ET AL.
	Examiner	Art Unit
	Amy I Storling	3632
	Amy J. Sterling	3632
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>1/17/07</u> .		
2.  The allowed claim(s) is/are <u>1-6,8-14 and 16-21</u> .		
<ul> <li>3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) ☐ All b) ☐ Some* c) ☐ None of the:</li> </ul>		
Certified copies of the priority documents have been received.		
Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1) 🔲 hereto or 2) 🔲 to Paper No./Mail Date		
(b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)		D. A. J. A. J. Parkinson
1. Notice of References Cited (PTO-892)	5. Notice of Informal	• •
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summar Paper No./Mail Da	ate .
3. Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date	7. Examiner's Amend	Iment/Comment
4.   Examiner's Comment Regarding Requirement for Deposit	8. 🛭 Examiner's Statem	ent of Reasons for Allowance
of Biological Material	9.  Other	
•		

Application/Control Number: 10/826,767

Art Unit: 3632

## Notice of Allowance

This is the Notice of Allowance for application number 10/826,767 Bias Assisted Sign with Floating mount System, filed on 4/16/04. Claims 1-6, 8-14 and 16-21 are allowed.

## Reasons for Allowance

The following is an examiner's statement of reasons for allowance:

With regards to claims 1-6, 8-14, the prior art of record does not show wherein the latch portion fastener is positioned in direct engagement with the spine.

With regards to claims 16-21, the prior art does not teach wherein the threaded stub is adapted for insertion into an opening in the spine face portion.

## **Conclusion**

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication should be directed to Amy J. Sterling at telephone number 571-272-6823. The fax machine number for the -Technology center is 571-273-8300 (formal amendments) or 571-273-6823 (informal

amendments/communications). Any inquiry of a general -nature or relating to the status of this application should be directed to the Technology Center receptionist at 571-272-3600.

Amy J. Sterling Primary Examiner 1/26/07 AMY J. STERLING PRIMARY EXAMINER TECHNOLOGY CENTER 3600